



1: lift unit; 2: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: control device; 8: memory unit; 9: arithmetic processing unit 9

FIG. 2



s1: raise forks; s2: detect fork vertical position H2; s4: move forward the vehicle main body; s5: measure a forward distance S5;


FIG. 3




S6: set a cargo on the carriers; S7: start the rearward movement of vehicle main body; S8: prohibit the lowering movement of forks; S9: measure a rearward distance S2; S11: cancel the prohibition of lowering movement of the forks; end.

09879995.061401

FIG. 4



09679965.061401




101: lift unit; 2: rising start-up detecting section; 103: lift height detecting section; 4: running system; 5: traveling distance measuring section; 6: measurement execution designating section; 7: information section; 8: alarm section; 9: controller; 10: memory unit; 11: arithmetic processing unit.

FIG. 6

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
6 of 41

Q64944

202-293-7060




Start, s1: raise forks; s2: detect fork vertical position; s4: switch on sectionment execution designating

means; s5: start the forward movement of vehicle main body; s6: sectionure a forward distance S1;

08679695-061401

FIG. 7



s7: set a cargo on the carriers; s8: start the rearward movement of vehicle main body; s9: prohibit the lowering movement of forks; s10: sectionure a rearward distance S2; s11: cancel the prohibition of the lowering movement of forks; end.


100790-566266

FIG. 8


KOKURA et al.
CARGO HANDLING VEHICLE
Filed June 14, 2001
Darryl Mexic
8 of 41

Q64944

202-293-7060




FD-190-55662860




1: lift unit 201: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: controller; 8: memory unit; 9: arithmetic processing unit (movement control section); 10: cargo detecting section.

FIG. 10




Start; s1: raise forks; s2: detect fork vertical position H2; s3: move vehicle main body forward; s4: measure a forward distance S6; is a cargo set on forks?; s7: prohibit the lowering movement of forks; s8: move vehicle main body rearward; s9: measure a rearward distance; s11: cancel the prohibition of the lowering movement of forks; end.

FIG. 11




09879995-061401

FIG. 12



301: lift unit; 2: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: controller; 8: memory unit 309: arithmetic processing unit (movement control section) 321: fork (cargo carrier) 324: vehicle main body 331: cargo; H1: reference position; H2: vertical position; S1: forward distance; S2: rearward distance.

FIG. 13



Start; s1: raise forks; s2: detect fork vertical position; s4: move forward vehicle main body; s5: measure a forward distance S1; s6: set a cargo on the cargo carriers (forks are raised and lowered); s7: move rearward vehicle main body; s8: prohibit the lowering movement of forks; s9: measure a rearward distance S2; s11: cancel the prohibition of the lowering movement of forks; end.


0007995-061401

FIG. 14

KOKURA et al
CARGO HANDLING VEHICLE
Filed: June 14, 2001
Darryl Mexic
14 of 41


Q64944

202-293-7060



038-3


09879995-061401



409: lift unit; 403: lift height detecting section; 404: running system; 405: traveling distance measuring section 406: control execution designating section 407: information section 408: alarm section; 410: memory unit 411: arithmetic processing unit (movement control section).


FIG. 15


FIG. 16



s1: switch on control execution designating section; s2: prohibit the lowering movement of forks; s3: move rearward forks and vehicle main body; s5: stop forks and vehicle main body; s6: cancel the prohibition of the lowering movement of forks.


FIG. 17






501: lift unit; 2: lift height detecting section 503: running system; 4: traveling distance measuring section; 5: information section; 6: alarm section; 7: accelerator pedal; 8: control execution designating section; 9: memory unit; 11: arithmetic processing unit

FIG. 19




s1: release brake; s2: switch on control execution designating section; s3: depress accelerator pedal; s4: prohibit the lowering movement of forks; s5: move rearward forks and vehicle main body; s7: stop forks and vehicle main body; s8: cancel the prohibition of the lowering movement of forks.

FIG. 20




09879995-061401



60: lift unit; 2: lift height detecting section; 3: running system; 4: traveling distance measuring section; 5: lowering movement designating section; 6: controller; 7: information section; 8: alarm section; 9: control execution designating section; 10: memory unit; 11: arithmetic processing unit


FIG. 22



s1: release brake; s2: switch on control execution designating section; s3: switch the lift lever on for lowering movement of forks; s4: prohibit the lowering movement of forks; s5: move rearward forks and vehicle main body; s7: stop forks and vehicle main body; s8: cancel the prohibition of the lowering movement of forks; s9: lower forks.


09079951.051401

FIG. 23




067995-061401

FIG. 24



701: lift unit; 702: reach unit; 703: fork height detecting section; 704: lift height detecting section; 705: fork rearward distance calculating section; 706: fork rearward distance calculating section; 707: vehicle body rearward distance calculating section; 708: vehicle body rearward distance calculating section; 709: fork rearward distance calculating section; 710: running system; 708a: memory unit; 708b: arithmetic processing unit; 709: information section; 710: alarm section.


FIG. 25



s1: switch on a control execution designating section; S2: prohibit forks from lowering; S3: move the forks and masts rearward; S5: stop the operation of the forks and masts; S6: cancel the prohibition of the forks from lowering.

00079305 061101


FIG. 26



S1: release a brake; S2: switch on a control execution designating section; S3: switch on to lower a lift lever; S4: prohibit forks from lowering; S5: move the forks and masts, and a vehicle body rearward; S7: stop the operation of the forks and masts, and the vehicle body; S8: cancel the prohibition of the forks from lowering; S9: lower the forks.


00079995 061401

FIG. 27



S1: release a brake; S2: switch on a control execution designating section; S3: depress an accelerator pedal; S4: prohibit forks from lowering; S5: move the forks and masts, and a vehicle body rearward; S7: stop the operation of the forks and masts, and the vehicle body; S8: cancel the prohibition of the forks from lowering.

FLG. 28



5063995-061403

De




FIG. 29

FIG. 30A




FIG. 30B





FIG. 31



Start; s1: switch on a key switch; S2: various processings; S3: is a lift lowering switch switched on?; S4: is a lift height position equal to or greater than a predetermined value?; S6: is a fork tilt detected?; S7: output a lift lowering command; S8: switch on lowering valves; S9: information processing; S10: is a lowering prohibition canceling switch switched on?; S11: cancel the lift lowering command; S12: switch off the lowering valves; S13: is the key switch switched on?; End.

FIG. 32A

FIG. 32B





FIG. 33

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
33 of 41

Q64944

202-293-7060



09879955 051401

FIG. 34

KOKURA et al.
CARGO HANDLING VEHICLE
Filed June 14, 2001
Darryl Mexic
34 of 41

Q64944

202-293-7060






FIG. 35



09879995 0614401

FIG. 36




09879995 "061401

FIG. 37

KOKURA et al
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
36 of 41

Q64944

202-293-7060



09879995-061401

FIG. 38




FIG. 39




FIG. 40





FIG. 41

KOKURA et al.
CARGO HANDLING VEHICLE
Filed : June 14, 2001
Darryl Mexic
39 of 41

Q64944

202-293-7060



00879995-061401

FIG. 42A




FIG. 42B




FIG. 43A




FIG. 43B




FIG. 44A



FIG. 44B




FIG. 45A




FIG. 45B




FIG. 46




FIG. 47A




FIG. 47B

